



SuPREP bowel prep kit

YOU MUST BE ON CLEAR LIQUIDS THE ENTIRE DAY BEFORE YOUR PROCEDURE.

The day before your procedure (begin at 6pm):

- 1) Step 1: Pour ONE 6-ounce bottle of SuPREP liquid into the mixing container.
- 2) Step 2: Add cool drinking water to the 16-ounce line on the container and mix. NOTE: Dilute the solution concentrate as directed prior to use.
- 3) Step 3: Drink ALL the liquid in the container.
- 4) Step 4: You must drink two more 16-ounce containers of water over the next one hour.

The day of your procedure (begin 4-5 hours prior to your scheduled procedure):

- 5) Step 1: Pour ONE 6-ounce bottle of SuPREP liquid into the mixing container.
- 6) Step 2: Add cool drinking water to the 16-ounce line on the container and mix. NOTE: Dilute the solution concentrate as directed prior to use.
- 7) Step 3: Drink ALL the liquid in the container.
- 8) Step 4: You must drink two more 16-ounce containers of water over the next one hour. **You must complete drinking everything from steps 1-4 three hours before your scheduled procedure otherwise your procedure may be cancelled or delayed.**

Wellstar Colon and Rectal Surgery

800 Canton Rd, Marietta GA 30060
2500 Hospital Blvd. suite 320, Roswell GA 30076
4441 Atlanta Rd. suite 312, Smyrna GA 30080
3747 Roswell Rd. suite 314, Marietta GA 30062
4900 Ivey rd. suite 1826, Acworth GA 30101